Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	6	("0000000" "5022081" "5465304" "5855000 ").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/12/22 23:53
S2	39	("4866784" "5191438" "5335290").PN. OR ("5465304").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/19 22:11
S3	1	"20040161151".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/19 22:13
S4	2	"20040161151".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/19 22:20
S5	338	382/201.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/19 22:21
S6	89	382/200.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/19 22:22
S7	133	382/181.ccls. and (candidate with (character symbol alphabet))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/19 22:37
S8	148	382/181.ccls. and (segment\$5) with (word character alphabet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/19 23:04

S9 .	9281	input near document	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; ; IBM_TDB	OR	ON	2007/01/19 23:04
S10	1600	(input near document) and (display near2 document)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/19 23:05
S11	1254	(input near document) and (display near2 document) and (recogn\$5 identif\$7 classif\$7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/19 23:05
S12	460	(input near document) and (display near2 document) and ((recogn\$5 identif\$7 classif\$7) near3 (character symbol alphabet))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/19 23:08
S13	504	(input near document) and (display near2 (document menu)) and ((recogn\$5 identif\$7 classif\$7) near3 (character symbol alphabet))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/19 23:08
S14	79	(input near document) and (display near2 (document and menu)) and ((recogn\$5 identif\$7 classif\$7) near3 (character symbol alphabet))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/19 23:18
S15	125	(input near2 (document and command)) and (display near2 (document)) and ((recogn\$5 identif\$7 classif\$7) near3 (character symbol alphabet))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/19 23:18

			_			
S16	125	(input near2 (document and command)) and (display near2 (document)) and ((recogn\$5 identif\$7 classif\$7) near3 (character symbol alphabet))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/20 16:15
S17	46	"5465304"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/20 16:15
S18	2	"5465304".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/20 16:15
S19	2	"5465304".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/20 18:53
S20	47	(character) near4 recogn\$6 near4 blur	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/20 18:57
S21	49	(character) near4 (recogn\$6 classif\$7) near4 blur	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/20 19:15
S22	232	382/255.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/20 19:15

S23	5	382/255.ccls. and character near4 recogn\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/20 19:58
S24	232	382/255.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/20 19:59
S25	1	382/255.ccls. and average near4 energy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/20 20:02
S26	35	(find\$4 calculat\$5 determin\$6) near4 (blur) near4 (energy variance (standard near deviation) average)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/21 16:50
S27	11	(find\$4 calculat\$5 determin\$6) near4 (blur) near4 ("DCT" "dct" (discrete near cosine near transform))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/21 17:20
S28	36	382/181.ccls. and (noise) near4 (eliminat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/21 17:22
S29		("0000000" "5022081" "5465304" "5855000 ").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/21 17:39
S30	5914	(speech near3 recogn\$6) with ("SAVE" "save" stor\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/21 17:43

S31	5464	(speech near recogn\$6) with ("SAVE" "save" stor\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/21 17:40
S32	5415	(speech near recogn\$6) with (stor\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/21 17:40
S33	2490	(speech near recogn\$6) near4 (stor\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/21 17:40
S34	121	(speech near recogn\$6) near4 (stor\$5) and (character symbol alphabet kanji kana) near recognition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/21 17:41
S35	91	(speech near recogn\$6) near4 (stor\$5) and (character symbol alphabet kanji kana) near recogn\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/21 17:41
S36	179	(speech near recogn\$6) near4 (stor\$5) and (character symbol alphabet kanji kana) near recogn\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/21 17:42
S37	139	(speech near recogn\$6) near3 (stor\$5) and (character symbol alphabet kanji kana) near recogn\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/21 17:53
S38	117	(speech near3 recogn\$6) with ("SAVE" "save")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/21 17:43
S39	9	(speech near3 recogn\$6) with ("SAVE" "save") and character near recogn\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/21 17:54

S40	9	(speech near3 recogn\$6) with ("SAVE" "save") with input	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/21 17:59
S41	695	(speech near recogn\$6) near3 (stor\$5) and (character symbol alphabet kanji kana)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/21 17:53
S42	1	(speech near3 recogn\$6) with ("SAVE" "save") and character near recogn\$5 and "382"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/21 17:54
S43	1	camera near4 (adjust\$4 align\$5) near4 (focal near distance) near4 (exposure near time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/21 18:00
S44	3	camera with (adjust\$4 align\$5) with (focal near distance) with (exposure near time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR .	ON	2007/01/21 18:01
S45	32	camera with (adjust\$4 align\$5) with (focal near distance) with (exposure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/21 18:57
S46	444	mobile near4 phone near4 personal near information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/21 18:58
S47	56	mobile near4 phone near4 personal near information near4 stor\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/21 18:58
S48	51	((mobile near phone) cellphone (cell near phone)) near4 personal near information near4 stor\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/21 18:58

S49	157	382/181.ccls. and (segment\$5) with (word character alphabet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/06/18 18:07
S50	81	(input near document) and (display near2 (document and menu)) and ((recogn\$5 identif\$7 classif\$7) near3 (character symbol alphabet))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/06/18 18:07
S51	90	382/200.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/06/18 18:08
S52	5	382/255.ccls. and character near4 recogn\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/06/18 18:08
S53	33	camera with (adjust\$4 align\$5) with (focal near distance) with (exposure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/06/18 18:08
S54	9	(speech near3 recogn\$6) with ("SAVE" "save") and character near recogn\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/06/18 18:09
S55	2	"6956968".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR .	ON	2007/12/23 00:02
S56	382	"382"/\$.ccls. and blur near4 (detect\$4 estimat\$4 determin\$4 calculat\$4 comput\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/12/23 00:13

S57	254	"382"/\$.ccls. and blur near2 (detect\$4 estimat\$4 determin\$4 calculat\$4 comput\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/12/23 00:09
S58	50	"382"/181-231.ccls. and blur near2 (detect\$4 estimat\$4 determin\$4 calculat\$4 comput\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/12/23 00:09
S59	34	"382"/\$.ccls. and blur near4 (detect\$4 estimat\$4 determin\$4 calculat\$4 comput\$4) and (character letter document symbol alphabet kanji) near4 (recogn%6 identif\$7 classif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/12/23 00:11
S60	52	"382"/\$.ccls. and blur near2 (estimat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/12/23 00:13